



ARTICLE

DV 31 R

| | |
|------------------------------|---|
| application: | one-side fusible interlining for collars and cuffs of men's shirts, brushed |
| touch: | soft hand-feel |
| weight: | approx. 100 gr/sqm |
| width: | 88/90 cm |
| wash shrinkage: | from -0.5 to -1.0 % |
| heat shrinkage: | from +/-0.0 to -0.3 % |
| base material: | 100 % cotton available in white, off-white and many colours |
| care instructions: | For garments in which this type of interlining is used, depending on the fabric of the garment, the following washing and ironing temperatures should not be exceeded:   = max. 160° C |
| recommended processing data: | <ol style="list-style-type: none">1. temperature (glueline): 160-165° C2. pressure (specific): 15-25 N/sqcm (2-3 bar)3. fusing time: 12-18 seconds |