


**ARTICLE****DV 51 R**

application:	one-side fusible interlining for collars and cuffs of men's shirts, brushed
touch:	medium soft
weight:	approx. 145 gr/sqm
width:	88/90 cm
wash shrinkage:	from -0.5 to -1.0 %
heat shrinkage:	from +/-0.0 to -0.3 %
base material:	100 % cotton available in white, off-white and many colours

care instructions: For garments in which this type of interlining is used, depending on the fabric of the garment, the following washing and ironing temperatures should not be exceeded:



recommended processing data:	<ol style="list-style-type: none"><li>1. temperature (glueline): 160-165° C</li><li>2. pressure (specific): 15-25 N/sqcm (2-3 bar)</li><li>3. fusing time: 12-18 seconds</li></ol>
------------------------------	--