

**ARTICLE****DV 8**

application:	one-side fusible interlining for collars and cuffs of men's and ladies' shirts
touch:	very lightweight and soft hand-feel
weight:	approx. 50 gr/sqm
width:	88/90 cm
wash shrinkage:	from -0.5 to -1.0 %
heat shrinkage:	from +/-0.0 to -0.3 %
base material:	100 % cotton available in white, off-white and many colours
care instructions:	For garments in which this type of interlining is used, depending on the fabric of the garment, the following washing and ironing temperatures should not be exceeded:



= max. 160° C

recommended  
processing data:

for men's shirts (basic + patch and cuffs):

1. temperature (glueline): 160-165° C
2. pressure (specific): 15-25 N/sqcm (2-3 bar)
3. fusing time: 12-18 sec.

for ladies' shirts:

1. temperature (glueline): 160° C
2. pressure (specific): approx. 10-20 N/sqcm (1,5 bar)
3. fusing time: 12-18 sec.