

ARTICLE**Duett 65**

application:	one-side fusible interlining to be used for blouses and ladies-wear
touch:	extremely lightweight and soft hand-feel
weight:	approx. 50 gr/sqm
width:	88/90 cm
wash shrinkage:	from -0.5 to -1.0 %
heat shrinkage:	from +/-0.0 to -0.3 %
base material:	100 % cotton with 100 % polyester coating, available in white, off-white and many colours
care instructions:	For garments in which this type of interlining is used, depending on the fabric of the garment, the following washing and ironing temperatures should not be exceeded:




= max. 160° C

recommended
processing data:

- a) on a fusing press:
1. temperature (glueline): 130-145° C
 2. pressure (specific): approx. 15 N/sqcm
 3. fusing time: 10-15 sec.

- b) fusing by hand with flat iron:
Switch iron on maximum temperature

( = position "cotton", approx. 175° C) and iron slowly with maximum pressure over the fabric.